

**WISCONSIN
YOUTH TOBACCO SURVEY (YTS) 2006
HIGH SCHOOLS
DATA TABLES**

Questions, Response Options, Frequencies and Percents

**Tobacco Prevention and Control Program
Bureau of Community Health and Prevention
Division of Public Health
Department of Health and Family Services**

PPH 43054 A (Rev. 09/06)

**Bureau of Community Health and Prevention
Division of Public Health
Department of Health and Family Services
PPH**

Table of Contents

Purpose	3
Background	3
Methods	3
Disclaimer	4
The Wisconsin Tobacco Prevention and Control Program	4
Acknowledgements	5
Fact Sheet	6
Data Tables.....	7



This report presents the 2006 Wisconsin Youth Tobacco Survey (YTS) data for public high school youth in grades 9, 10, 11, and 12. The data are shown in table format, by question, response options, and answers.

The Wisconsin Youth Tobacco Survey (YTS) is a comprehensive measure of youth awareness, attitudes and related behaviors about tobacco use in Wisconsin. The purpose of this survey is to monitor these attitudes and behaviors to assist in improving youth programs and initiatives.

The Youth Tobacco Survey was first adapted for use and administered in Wisconsin during the spring semester of the 1999-2000 academic year to a random sample of public middle and high school students. The survey has been continued on an annual basis for public middle school youth and a biennial basis for public high school youth. The survey is administered during the spring semester of each academic year.

The Wisconsin YTS questionnaire uses the same set of 63 core questions and the same procedures developed by the U.S. Centers for Disease Control and Prevention for the National Youth Tobacco Survey. The Wisconsin Tobacco Prevention and Control Program collaborates with partners to develop 10 additional Wisconsin-specific questions that are added to the core questionnaire each year.

The Wisconsin YTS provides a comprehensive data set and the ability to make valid statewide estimates about tobacco use, awareness, attitudes and behaviors among the Wisconsin's public middle and high school student population.

The Department of Health and Family Services (DHFS), the Department of Public Instruction (DPI), school districts, and public middle and high schools across Wisconsin cooperated in the survey administration.

DHFS contracted with the University of Wisconsin Milwaukee Center for Urban Initiatives and Research to administer the Wisconsin YTS during the months of February, March, April, and May 2006 in 49 randomly chosen schools.

Public schools containing the grades 9, 10, 11, and 12 were included in the potential survey sample. A random sample was chosen by standard scientific methods from all eligible public schools in the state. All students in the selected classes were eligible to participate in the survey.

Thirty-nine of 49 (77.5%) randomly selected high schools participated in the 2006 Wisconsin Youth Tobacco Survey. In the participating schools, 1,737 of the 2004 sampled students (86.6%) completed usable questionnaires. This gave an overall response rate of 68.9% for all potentially eligible students in the original 49 eligible schools.

PAGE 3

The data from the 2006 Wisconsin YTS are presented in a table format by question. The questions are listed in the order as they appeared on the survey.

The “missing” variable under the response options is for those youth who completed the survey, but for whatever reason, did not answer that particular question. The “unweighted frequency” is the number of students who answered the particular response to that specific question. This is sometimes referred to as the “raw” number. The numbers in this column add up to 1,737 (the number of participants) for each question. The “weighted frequency” statistically adjusts the “unweighted frequency” using several variables including, but not limited to, grade and gender, to reduce bias in the sample and make the data more representative of all public high school youth in Wisconsin. This is shown as a percent of all public high school youth in Wisconsin, not just the youth that participated in the survey.

Funding

The 2006 Wisconsin YTS was funded by the Department of Health and Family Services’ Tobacco Prevention and Control Program. Through a comprehensive tobacco prevention and control program, the Department is committed to reducing youth tobacco use.

Disclaimer

This report contains only data from the 2006 Wisconsin YTS. As such, it has potentially strong limitations in regards to tracking of trends in perceptions, attitudes and behaviors by high school youth. The data within the 2006 report can be compared to previous YTS data, however, conclusions made regarding differences in trends requires further analysis. Nevertheless, the data should help provide an understanding of the influences toward smoking behavior and attitudes on smoking in the high school years and how best to devise strategies to prevent and/or reduce use.

The data will also be used in conjunction with other local and national data that explore similar topics.

Department of Health and Family Services’ Tobacco Prevention and Control Program

The DHFS’ Tobacco Prevention and Control Program, located within the Bureau of Community Health Promotion, Division of Public Health, is committed to reducing tobacco usage in Wisconsin. The Program, in collaboration with Wisconsin local health departments and other community organizations active in tobacco control, works towards the following goals:

- ❖ **Eliminate Exposure to Environmental Tobacco Smoke**
- ❖ **Reduce Smoking Initiation among Youth**
- ❖ **Promote Quitting among Adults and Young People**
- ❖ **Identify and Eliminate Health Disparities Among Population Groups**

For more information or additional copies of this report write to:

Randall L. Glysch, Research Scientist
Wisconsin Tobacco Prevention and Control Program, Division of Public Health
P.O. Box 2659
Madison, WI 53701-2659
Email: glyscr1@dhfs.state.wi.us
(608) 266-9708

This information and reports based on the Wisconsin YTS data can also be found on the Tobacco Prevention and Control Program web site at:
<http://dhfs.wisconsin.gov/health/TobaccoControl/>

Acknowledgements

Many persons contributed to the 2006 Wisconsin YTS. Special thanks are due to all the participating students, teachers and principals, as well as the following organizations and entities:

- University of Wisconsin Comprehensive Cancer Center, University of Wisconsin Medical School
- Wisconsin Department of Public Instruction
- Tobacco control and prevention advocates
- Community coalitions

Wisconsin Department of Health and Family Services

2006 Wisconsin Youth Tobacco Survey (YTS)

High School Fact Sheet



The Wisconsin YTS is a comprehensive measure of youth awareness, attitudes, and related behaviors about tobacco use. The purpose of this survey is to monitor trends of these attitudes and behaviors to assist in improving youth programs and initiatives. The 2006 Wisconsin YTS was funded by the Department of Health and Family Services' Tobacco Prevention and Control Program.

The Wisconsin YTS is a school-based survey of students in grades 9-12, conducted every other spring semester of the academic year beginning in 1999-2000. Fifty-Nine schools were randomly selected in 2006 to participate in this survey. Classrooms in the selected schools were also randomly selected. All students in the selected classes were eligible to participate. The overall high school response rate for the 2006 YTS was 77.6%. A total of 1,737 public high school students in 39 high schools participated in the Wisconsin YTS in 2006 for a student response rate of 86.6%. Overall response rate was 69%.

Prevalence

- 54.8% of students have used a tobacco product in their lifetime (9th grade=40.9%, 10th grade=51.6%, 11th grade=58.4%, 12th=69.7%)
- 47.9% have smoked cigarettes in their lifetime (Male=49.3%, Female=46.2%)
- 27.2% currently use any tobacco product (Male=33.1%, Female=20.8%)
- 19.9% currently smoke cigarettes (9th grade=12.6%, 10th grade=19.3%, 11th grade=21.3%, 12th=27.1%)
- 7.4% currently use smokeless tobacco or chew (Male=12.8%, Female=1.5%)

Environmental Tobacco Smoke (ETS)

- 40.0% live in homes where others smoke
- 60.7% in the same room as others who smoke during the week
- 94.6% think that smoke from other people's cigarettes is harmful to them

Cessation – Current Smokers

- 52.7% want to stop smoking
- 56.4% attempted to quit smoking during the past 12 months

Media

- 83.6% have seen or heard commercials about the dangers of cigarette smoking within the past 30 days
- 89.2% have seen ads for tobacco products on the internet, on TV, or at the movies

School

- 47.0% were taught in class about the dangers of tobacco use
- 7.5% smoked on school property in the past month

Community

- 12.7% participated in a community event to discourage tobacco use

Access and Availability – Current Smoker < 18 years old

- 15.0% buy cigarettes in a store
- 39.5% gave money to someone else to buy the cigarettes
- 57.1% who bought cigarettes in a store were not asked to show proof of age during the past 30 days

High School Highlights

- The current smoking rate has decreased from 33% in 2000 to 19.9% in 2006.
- The current use of any tobacco product decreased from 39% in 2000 to 27.2% in 2006.
- 7.4% of public high school students are current users of smokeless tobacco.
- ETS exposure is high – 6 in 10 students were in the same room with smokers during the past week.
- Over half of current smokers want to stop smoking in 2006.
- More than 8 out of 10 students saw or heard anti-smoking media messages in the past month.
- In 2006, 4 out of 10 students were taught about the dangers of tobacco in class.

YOUTH TOBACCO SURVEY (YTS) 2006 WISCONSIN PUBLIC HIGH SCHOOLS
QUESTIONS, RESPONSES, FREQUENCIES

QUESTION NUMBER	QUESTION TEXT	RESPONSE OPTIONS	UNWEIGHTED FREQUENCY*	WEIGHTED FREQUENCY**
1	HOW OLD ARE YOU?	MISSING 11 YEARS OR YOUNGER 12 YEARS OLD 13 YEARS OLD 14 YEARS OLD 15 YEARS OLD 16 YEARS OLD 17 YEARS OLD 18 YEARS OLD OR OLDER	2 . . 2 131 440 486 453 223	. . . 0.1% 7.7% 24.8% 26.1% 24.9% 16.4%
2	WHAT IS YOUR SEX?	MISSING MALE FEMALE	6 876 855	. 48.7% 51.3%
3	WHAT GRADE ARE YOU IN?	MISSING 6 TH 7 TH 8 TH 9 TH 10 TH 11 TH 12 TH UNGRADED OR OTHER GRADE	8 . . . 462 442 498 327 26.4% 25.1% 24.5% 24.0% .
4	HOW WOULD YOU DESCRIBE YOURSELF? (NOTE: QUESTION 4 IS REPEATED HERE BECAUSE YOUTH COULD SELECT ONE OR MORE RACIAL/ETHNIC IDENTITY FOR THIS QUESTION ON THE SURVEY.)	MISSING AMERICAN INDIAN OR ALASKA NATIVE ASIAN BLACK OR AFRICAN AMERICAN HISPANIC OR LATINO NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER WHITE	1,655 82 100.00%

QUESTION NUMBER	QUESTION TEXT	RESPONSE OPTIONS	UNWEIGHTED FREQUENCY*	WEIGHTED FREQUENCY**
4	HOW WOULD YOU DESCRIBE YOURSELF? (NOTE: QUESTION 4 IS REPEATED HERE BECAUSE YOUTH COULD SELECT ONE OR MORE RACIAL/ETHNIC IDENTITY FOR THIS QUESTION ON THE SURVEY.)	MISSING AMERICAN INDIAN OR ALASKA NATIVE ASIAN BLACK OR AFRICAN AMERICAN HISPANIC OR LATINO NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER WHITE	1,649 . 88 100.00%
4	HOW WOULD YOU DESCRIBE YOURSELF? (NOTE: QUESTION 4 IS REPEATED HERE BECAUSE YOUTH COULD SELECT ONE OR MORE RACIAL/ETHNIC IDENTITY FOR THIS QUESTION ON THE SURVEY.)	MISSING AMERICAN INDIAN OR ALASKA NATIVE ASIAN BLACK OR AFRICAN AMERICAN HISPANIC OR LATINO NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER WHITE	1,517 . . 220 100.00% . . .
4	HOW WOULD YOU DESCRIBE YOURSELF? (NOTE: QUESTION 4 IS REPEATED HERE BECAUSE YOUTH COULD SELECT ONE OR MORE RACIAL/ETHNIC IDENTITY FOR THIS QUESTION ON THE SURVEY.)	MISSING AMERICAN INDIAN OR ALASKA NATIVE ASIAN BLACK OR AFRICAN AMERICAN HISPANIC OR LATINO NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER WHITE	1,596 . . . 141 100.00% . . .
4	HOW WOULD YOU DESCRIBE YOURSELF? (NOTE: QUESTION 4 IS REPEATED HERE BECAUSE YOUTH COULD SELECT ONE OR MORE RACIAL/ETHNIC IDENTITY FOR THIS QUESTION ON THE SURVEY.)	MISSING AMERICAN INDIAN OR ALASKA NATIVE ASIAN BLACK OR AFRICAN AMERICAN HISPANIC OR LATINO NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER WHITE	1,719 18 100.00% .
4	HOW WOULD YOU DESCRIBE YOURSELF? (NOTE: QUESTION 4 IS REPEATED HERE BECAUSE YOUTH COULD SELECT ONE OR MORE RACIAL/ETHNIC IDENTITY FOR THIS QUESTION ON THE SURVEY.)	MISSING AMERICAN INDIAN OR ALASKA NATIVE ASIAN BLACK OR AFRICAN AMERICAN HISPANIC OR LATINO NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER WHITE	404 1,333 100.00%

QUESTION NUMBER	QUESTION TEXT	RESPONSE OPTIONS	UNWEIGHTED FREQUENCY*	WEIGHTED FREQUENCY**
5	WHICH ONE OF THESE GROUPS BEST DESCRIBES YOU? (NOTE: YOUTH WERE ASKED TO SELECT ONLY ONE ANSWER.)	MISSING AMERICAN INDIAN OR ALASKA NATIVE ASIAN BLACK OR AFRICAN AMERICAN HISPANIC OR LATINO NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER WHITE	23 29 77 201 102 4 1,301	. 1.4% 3.1% 7.9% 3.3% 0.2% 84.1%
6	HAVE YOU EVER TRIED CIGARETTE SMOKING, EVEN ONE OR TWO PUFFS?	MISSING YES NO	68 799 870	. 47.9% 52.1%
7	HOW OLD WERE YOU WHEN YOU SMOKED A WHOLE CIGARETTE FOR THE FIRST TIME?	MISSING I HAVE NEVER SMOKED A WHOLE CIGARETTE 8 YEARS OLD OR YOUNGER 9-10 YEARS OLD 11-12 YEARS OLD 13-14 YEARS OLD 15-16 YEARS OLD 17 YEARS OLD OR OLDER	22 1,078 62 50 103 195 195 32	. 62.0% 3.0% 3.0% 6.0% 11.5% 11.6% 2.4%
8	ABOUT HOW MANY CIGARETTES HAVE YOU SMOKED IN YOUR ENTIRE LIFE?	MISSING NONE 1 OR MORE PUFFS BUT NEVER A WHOLE CIGARETTE 1 CIGARETTE 2-5 CIGARETTES 6-15 (ABOUT ½ A PACK TOTAL) 16-25 (ABOUT 1 PACK TOTAL) 26-99 (MORE THAN 1 PACK BUT LESS THAN 5 PACKS) 100 OR MORE (5 OR MORE PACKS)	12 975 179 33 113 88 52 76 209	. 56.3% 9.5% 2.0% 6.3% 5.3% 3.1% 4.5% 13.0%
9	HAVE YOU EVER SMOKED CIGARETTES DAILY, THAT IS, AT LEAST ONE CIGARETTE EVERY DAY FOR 30 DAYS?	MISSING YES NO	31 221 1,495	. 13.7% 86.3%

QUESTION NUMBER	QUESTION TEXT	RESPONSE OPTIONS	UNWEIGHTED FREQUENCY*	WEIGHTED FREQUENCY**
10	DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU SMOKE CIGARETTES?	MISSING 0 DAYS 1-2 DAYS 3-5 DAYS 6-9 DAYS 10-19 DAYS 20-29 DAYS ALL 30 DAYS	42 1,372 77 49 23 32 48 94	. 80.1% 4.8% 2.8% 1.5% 2.0% 3.0% 5.8%
11	DURING THE PAST 30 DAYS, ON THE DAYS YOU SMOKED, HOW MANY CIGARETTES DID YOU SMOKE PER DAY?	MISSING I DID NOT SMOKE CIGARETTES DURING THE PAST 30 DAYS LESS THAN 1 PER DAY 1 PER DAY 2-5 PER DAY 6-10 PER DAY 11-20 PER DAY MORE THAN 20 PER DAY	59 1,358 54 61 128 49 21 7	. 80.1% 3.2% 3.8% 7.9% 3.3% 1.2% 0.6%
12	DURING THE PAST 30 DAYS, WHAT BRAND OF CIGARETTES DID YOU USUALLY SMOKE?	MISSING I DID NOT SMOKE CIGARETTES DURING THE PAST 30 DAYS I DO NOT HAVE A USUAL BRAND CAMEL MARLBORO NEWPORT VIRGINIA SLIMS GPC, BASIC OR DORAL SOME OTHER BRAND	15 1,381 41 47 141 87 5 3 17	. 79.5% 2.5% 3.2% 8.8% 4.4% 0.3% 0.2% 1.0%
13	ARE THE CIGARETTES YOU USUALLY SMOKE MENTHOL CIGARETTES?	MISSING I DO NOT SMOKE CIGARETTES YES NO	7 1,306 210 214	. 74.6% 12.0% 13.3%

QUESTION NUMBER	QUESTION TEXT	RESPONSE OPTIONS	UNWEIGHTED FREQUENCY*	WEIGHTED FREQUENCY**
14	DURING THE PAST 30 DAYS, HOW DID YOU USUALLY GET YOUR OWN CIGARETTES?	MISSING I DID NOT SMOKE CIGARETTES DURING THE PAST 30 DAYS I BOUGHT THEM IN A STORE SUCH AS A CONVENIENCE STORE, SUPERMARKET, DISCOUNT STORE, OR GAS STATION I BOUGHT THEM FROM A VENDING MACHINE I GAVE SOMEONE ELSE MONEY TO BUY THEM FOR ME I BORROWED (OR BUMMED) THEM FROM SOMEONE ELSE A PERSON 18 YEARS OLD OR OLDER GAVE THEM TO ME I TOOK THEM FROM A STORE OR FAMILY MEMBER I GOT THEM SOME OTHER WAY	7 1,378 88 4 105 85 29 7 34	. 79.0% 6.0% 0.2% 6.2% 4.9% 1.6% 0.4% 1.8%
15	DURING THE PAST 30 DAYS, WHERE DID YOU BUY THE LAST PACK OF CIGARETTES YOU BOUGHT?	MISSING I DID NOT BUY A PACK OF CIGARETTES DURING THE PAST 30 DAYS A GAS STATION A CONVENIENCE STORE A GROCERY STORE A DRUGSTORE A VENDING MACHINE I BOUGHT THEM OVER THE INTERNET OTHER	13 1,470 173 20 6 3 2 6 44	. 84.4% 11.2% 1.3% 0.2% 0.2% 0.1% 0.2% 2.3%
16	WHEN YOU BOUGHT, OR TRIED TO BUY CIGARETTES IN A STORE DURING THE PAST 30 DAYS, WERE YOU EVER ASKED TO SHOW PROOF OF AGE?	MISSING I DID NOT TRY TO BUY CIGARETTES IN A STORE DURING THE PAST 30 DAYS YES, I WAS ASKED TO SHOW PROOF AGE NO, I WAS NOT ASKED TO SHOW PROOF OF AGE	7 1,562 91 77	. 89.2% 6.0% 4.7%
17	DURING THE PAST 30 DAYS, DID ANYONE REFUSE TO SELL YOU CIGARETTES BECAUSE OF YOUR AGE?	MISSING I DID NOT TRY TO BUY CIGARETTES IN A STORE DURING THE PAST 30 DAYS YES, SOMEONE REFUSED TO SELL ME CIGARETTES BECAUSE OF MY AGE NO, NO ONE REFUSED TO SELL ME CIGARETTES BECAUSE OF MY AGE	11 1,559 39 128	. 89.4% 2.2% 8.5%

QUESTION NUMBER	QUESTION TEXT	RESPONSE OPTIONS	UNWEIGHTED FREQUENCY*	WEIGHTED FREQUENCY**
18	DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU SMOKE CIGARETTES ON SCHOOL PROPERTY?	MISSING 0 DAYS 1-2 DAYS 3-5 DAYS 6-9 DAYS 10-19 DAYS 20-29 DAYS ALL 30 DAYS	16 1,600 49 21 11 15 8 17	. 92.5% 2.7% 1.3% 0.8% 1.0% 0.6% 1.1%
19	WHEN WAS THE LAST TIME YOU SMOKED A CIGARETTE, EVEN ONE OR TWO PUFFS?	MISSING I HAVE NEVER SMOKED EVEN ONE OR TWO PUFFS EARLIER TODAY NOT TODAY BUT SOMETIME DURING THE PAST 7 DAYS NOT DURING THE PAST 7 DAYS BUT SOMETIME DURING THE PAST 30 DAYS NOT DURING THE PAST 30 DAYS BUT SOMETIME DURING THE PAST 6 MONTHS NOT DURING THE PAST 6 MONTHS BUT SOMETIME DURING THE PAST YEAR 1-4 YEARS AGO 5 OR MORE YEARS AGO	30 959 137 128 47 147 68 149 72	. 55.9% 8.4% 7.8% 2.9% 9.4% 4.2 7.9% 3.5%
20	HOW LONG CAN YOU GO WITHOUT SMOKING BEFORE YOU FEEL LIKE YOU NEED A CIGARETTE?	MISSING I HAVE NEVER SMOKED CIGARETTES I DO NOT SMOKE NOW LESS THAN AN HOUR 1-3 HOURS MORE THAN 3 HOURS BUT LESS THAN A DAY A WHOLE DAY SEVERAL DAYS A WEEK OR MORE	7 1,045 371 16 54 55 33 41 115	. 59.8% 21.2% 0.8% 3.4% 3.3% 2.0% 2.6% 6.9%
21	DO YOU WANT TO STOP SMOKING CIGARETTES?	MISSING I DO NOT SMOKE NOW YES NO	23 1,424 159 131	. 82.1% 9.7% 8.3%
22	DURING THE PAST 12 MONTHS, DID YOU EVER TRY TO QUIT SMOKING CIGARETTES?	MISSING I DID NOT SMOKE DURING THE PAST 12 MONTHS YES NO	16 1,306 224 171	. 74.7% 15.0% 10.3%

QUESTION NUMBER	QUESTION TEXT	RESPONSE OPTIONS	UNWEIGHTED FREQUENCY*	WEIGHTED FREQUENCY**
23	HOW MANY TIMES DURING THE PAST 12 MONTHS HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING?	MISSING I HAVE NOT SMOKED IN THE PAST 12 MONTHS I HAVE NOT TRIED TO QUIT 1 TIME 2 TIMES 3-5 TIMES 6-9 TIMES 10 OR MORE TIMES	16 1,300 166 92 64 54 10 35	. 74.3% 10.1% 5.5% 4.1% 3.6% 0.6% 2.0%
24	WHEN YOU LAST TRIED TO QUIT, HOW LONG DID YOU STAY OFF CIGARETTES?	MISSING I HAVE NEVER SMOKED CIGARETTES I HAVE NEVER TRIED TO QUIT LESS THAN A DAY 1-7 DAYS MORE THAN 7 DAYS BUT LESS THAN 30 DAYS 30 DAYS OR MORE BUT LESS THAN 6 MONTHS 6 MONTHS OR MORE BUT LESS THAN ONE YEAR 1 YEAR OR MORE	25 1,168 176 40 83 45 69 43 88	. 67.2% 10.8% 2.4% 5.2% 2.8% 4.2% 2.6% 4.8%
25	HAVE YOU EVER USED CHEWING TOBACCO, SNUFF, OR DIP, SUCH AS REDMAN, LEVI GARRETT, BEECHNUT, SKOAL, OR COPENHAGEN?	MISSING YES NO	24 316 1,397	. 19.8% 80.2%
26	HOW OLD WERE YOU WHEN YOU USED CHEWING TOBACCO, SNUFF, OR DIP FOR THE FIRST TIME?	MISSING I HAVE NEVER USED CHEWING TOBACCO, SNUFF OR DIP 8 YEARS OLD OR YOUNGER 9-10 YEARS OLD 11-12 YEARS OLD 13-14 YEARS OLD 15-16 YEARS OLD 17 YEARS OLD OR OLDER	17 1,447 26 7 21 63 127 29	. 82.6% 1.6% 0.4% 1.3% 3.6% 8.1% 2.4%
27	DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE CHEWING TOBACCO, SNUFF OR DIP?	MISSING 0 DAYS 1-2 DAYS 3-5 DAYS 6-9 DAYS 10-19 DAYS 20-29 DAYS ALL 30 DAYS	14 1,607 39 12 15 12 14 24	. 92.6% 2.5% 0.7% 1.0% 0.8% 0.8% 1.6%

QUESTION NUMBER	QUESTION TEXT	RESPONSE OPTIONS	UNWEIGHTED FREQUENCY*	WEIGHTED FREQUENCY**
28	DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU USE CHEWING TOBACCO, SNUFF OR DIP ON SCHOOL PROPERTY?	MISSING 0 DAYS 1-2 DAYS 3-5 DAYS 6-9 DAYS 10-19 DAYS 20-29 DAYS ALL 30 DAYS	3 1,668 22 11 6 5 4 18	. 95.8% 1.3% 0.7% 0.4% 0.4% 0.2% 1.2%
29	DURING THE PAST 30 DAYS, HOW DID YOU USUALLY GET YOUR OWN CHEWING TOBACCO, SNUFF OR DIP?	MISSING I DID NOT USE CHWEING TOBACCO, SNUFF OR DIP DURING THE PAST 30 DAYS I BOUGHT THEM IN A STORE SUCH AS A CONVENIENCE STORE, SUPERMARKET, DISCOUNT STORE OR GAS STATION I GAVE SOMEONE ELSE MONEY TO BUY THEM FOR ME I BORROWED (OR BUMMED) THEM FROM SOMEONE ELSE A PERSON 18 YEARS OLD OR OLDER GAVE THEM TO ME I TOOK THEM FROM A STORE OR FAMILY MEMBER I GOT THEM SOME OTHER WAY	3 1,606 45 22 36 13 2 10	. 91.8% 3.3% 1.3% 2.3% 0.7% 0.1% 0.6%
30	HAVE YOU EVER TRIED SMOKING CIGARS, CIGARILLOS, OR LITTLE CIGARS, EVEN ONE OR TWO PUFFS?	MISSING YES NO	32 561 1,144	. 34.5% 65.5%
31	HOW OLD WERE YOU WHEN YOU SMOKED A CIGAR, CIGARILLO, OR LITTLE CIGAR FOR THE FIRST TIME?	MISSING I HAVE NEVER SMOKED A CIGAR, CIGARILLO OR LITTLE CIGAR 8 YEARS OLD OR YOUNGER 9-10 YEARS OLD 11-12 YEARS OLD 13-14 YEARS OLD 15-16 YEARS OLD 17 YEARS OLD OR OLDER	26 1,191 30 20 47 133 237 53	. 67.9% 1.7% 1.3% 2.9% 7.6% 14.6% 4.0%
32	DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU SMOKE CIGARS, CIGARILLOS, OR LITTLE CIGARS?	MISSING 0 DAYS 1-2 DAYS 3-5 DAYS 6-9 DAYS 10-19 DAYS 20-29 DAYS ALL 30 DAYS	12 1,523 124 30 21 13 5 9	. 87.5% 7.5% 1.8% 1.5% 0.7% 0.4% 0.6%

QUESTION NUMBER	QUESTION TEXT	RESPONSE OPTIONS	UNWEIGHTED FREQUENCY*	WEIGHTED FREQUENCY**
33	DURING THE PAST 30 DAYS, HOW DID YOU USUALLY GET YOUR OWN CIGARS, CIGARILLOS, OR LITTLE CIGARS?	MISSING I DID NOT SMOKE CIGARS, CIGARILLOS, OR LITTLE CIGARS DURING THE PAST 30 DAYS I BOUGHT THEM IN A STORE SUCH AS A CONVENIENCE STORE, SUPERMARKET, DISCOUNT STORE OR GAS STATION I GAVE SOMEONE ELSE MONEY TO BUY THEM FOR ME I BORROWED (OR BUMMED) THEM FROM SOMEONE ELSE A PERSON 18 YEARS OLD OR OLDER GAVE THEM TO ME I TOOK THEM FROM A STORE OR FAMILY MEMBER I GOT THEM SOME OTHER WAY	4 1,489 80 33 66 30 12 23	. 87.5% 5.5% 1.8% 3.9% 1.8% 0.6% 1.3%
34	DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU SMOKE TOBACCO IN A PIPE?	MISSING 0 DAYS 1-2 DAYS 3-5 DAYS 6-9 DAYS 10-19 DAYS 20-29 DAYS ALL 30 DAYS	1,666 31 10 13 5 1 11	. 95.8% 1.9% 0.5% 0.8% 0.3% 0.0% 0.6%
35	HAVE YOU EVER TRIED SMOKING ANY OF THE FOLLOWING?	MISSING BIDIS KRETEKS I HAVE TRIED BOTH BIDIS AND KRETEKS I HAVE NEVER SMOKED BIDIS OR KRETEKS	17 44 41 40 1,595	. 2.7% 2.8% 2.5% 91.9%
36	DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU SMOKE BIDIS?	MISSING 0 DAYS 1-2 DAYS 3-5 DAYS 6-9 DAYS 10-19 DAYS 20-29 DAYS ALL 30 DAYS	16 1,669 18 13 10 3 2 6	. 96.9% 1.0% 0.9% 0.6% 0.1% 0.1% 0.4%
37	DO YOU THINK THAT YOU WILL TRY CIGARETTES SOON?	MISSING I HAVE ALREADY TRIED SMOKING CIGARETTES YES NO	10 557 70 1,100	. 33.2% 3.6% 63.2%

QUESTION NUMBER	QUESTION TEXT	RESPONSE OPTIONS	UNWEIGHTED FREQUENCY*	WEIGHTED FREQUENCY**
38	DO YOU THINK YOU WILL SMOKE A CIGARETTE AT ANYTIME DURING THE NEXT YEAR?	MISSING DEFINITELY YES PROBABLY YES PROBABLY NOT DEFINITELY NOT	7 197 215 294 1,024	. 12.4% 12.8% 16.9% 57.9%
39	DO YOU THINK YOU WILL BE SMOKING CIGARETTES 5 YEARS FROM NOW?	MISSING I DEFINITELY WILL I PROBABLY WILL I PROBABLY WILL NOT I DEFINITELY WILL NOT	9 36 152 405 1,135	. 2.1% 8.8% 23.9% 65.2%
40	IF ONE OF YOUR BEST FRIENDS OFFERED YOU A CIGARETTE, WOULD YOU SMOKE IT?	MISSING DEFINITELY YES PROBABLY YES PROBABLY NOT DEFINITELY NOT	9 152 222 323 1,031	. 9.4% 13.4% 18.7% 58.5%
41	IN THE PAST 12 MONTHS, HOW OFTEN HAVE YOUR PARENTS OR GUARDIANS DISCUSSED THE DANGERS OF TOBACCO USE WITH YOU?	MISSING NEVER RARELY SOMETIMES OFTEN VERY OFTEN	4 681 415 397 166 74	. 39.6% 24.6% 22.5% 9.4% 3.8%
42	DO YOU THINK PEOPLE CAN GET ADDICTED TO USING TOBACCO JUST LIKE THEY CAN GET ADDICTED TO USING COCAINE OR HEROIN?	MISSING DEFINITELY YES PROBABLY YES PROBABLY NOT DEFINITELY NOT	13 1,243 328 72 81	. 72.6% 18.8% 4.1% 4.5%
43	DO YOU THINK YOUNG PEOPLE WHO SMOKE CIGARETTES HAVE MORE FRIENDS?	MISSING DEFINITELY YES PROBABLY YES PROBABLY NOT DEFINITELY NOT	15 69 191 878 584	. 3.7% 10.7% 50.2% 35.4%
44	DO YOU THINK SMOKING CIGARETTES MAKES YOUNG PEOPLE LOOK COOL OR FIT IN?	MISSING DEFINITELY YES PROBABLY YES PROBABLY NOT DEFINITELY NOT	7 51 111 335 1,233	. 2.9% 6.7% 19.4% 71.0%
QUESTION NUMBER	QUESTION TEXT	RESPONSE OPTIONS	UNWEIGHTED FREQUENCY*	WEIGHTED FREQUENCY**
45	DO YOU THINK YOUNG PEOPLE RISK HARMING THEMSELVES IF THEY SMOKE FROM 1-5	MISSING DEFINITELY YES	12 1,334	. 77.1%

	CIGARETTES PER DAY?	PROBABLY YES PROBABLY NOT DEFINITELY NOT	267 56 68	15.8% 3.5% 3.6%
46	DO YOU THINK IT IS SAFE TO SMOKE FOR ONLY A YEAR OR TWO, AS LONG AS YOU QUIT AFTER THAT?	MISSING DEFINITELY YES PROBABLY YES PROBABLY NOT DEFINITELY NOT	5 58 127 482 1,065	. 3.2% 7.4% 28.3% 61.1%
47	DO YOU THINK YOU WOULD BE ABLE TO QUIT SMOKING CIGARETTES IF YOU WANTED TO?	MISSING I DO NOT SMOKE NOW YES NO	8 1,368 272 89	. 78.5% 16.4% 5.1%
48	HAVE YOU EVER PARTICIPATED IN A PROGRAM TO HELP YOU QUIT USING TOBACCO?	MISSING I HAVE NEVER USED TOBACCO YES NO	16 1,093 39 589	62.0 2.1 35.9
49	HAVE YOU HEARD OF THE WISCONSIN TOBACCO QUIT LINE?	MISSING YES NO DON'T KNOW/NOT SURE	2 502 834 399	29.6% 49.1% 22.3%
50	DURING THIS SCHOOL YEAR, WERE YOU TAUGHT IN ANY OF YOUR CLASSES ABOUT THE DANGERS OF TOBACCO USE?	MISSING YES NO NOT SURE	5 832 713 187	. 47.0% 42.1% 10.9%
51	DURING THIS SCHOOL YEAR, DID YOU PRACTICE WAYS TO SAY "NO" TO TOBACCO IN ANY OF YOUR CLASSES?	MISSING YES NO NOT SURE	19 340 1,196 192	. 18.1% 70.6% 11.3%
52	HAS SOMEONE IN A DOCTOR'S OR DENTIST'S OFFICE (DOCTOR, DENTIST, NURSE, RECEPTIONIST) TALKED TO YOU ABOUT TOBACCO USE, IN THE PAST 12 MONTHS	MISSING I HAVE NOT VISITED A DOCTOR'S OR DENTIST'S OFFICE IN THE PAST 12 MONTHS YES NO	9 145 425 1,158	. 8.0% 24.0% 67.9%
53	HAS SOMEONE IN A DOCTOR OR DENTIST'S OFFICE ADVISED YOU TO STOP USING TOBACCO PRODUCTS IN THE PAST 12 MONTHS?	MISSING I HAVE NOT VISITED A DOCTOR'S OR DENTIST'S OFFICE IN THE PAST 12 MONTHS YES NO	27 162 144 1,404	8.7 8.2 83.1
54	DURING THE PAST 12 MONTHS, HAVE YOU PARTICIPATED IN ANY COMMUNITY ACTIVITIES TO DISCOURAGE PEOPLE YOUR AGE FROM USING CIGARETTES, CHEWING TOBACCO, SNUFF, DIP OR CIGARS?	MISSING YES NO I DID NOT KNOW ABOUT ANY ACTIVITIES	22 166 1,098 451	. 9.5% 65.1% 25.4%

QUESTION NUMBER	QUESTION TEXT	RESPONSE OPTIONS	UNWEIGHTED FREQUENCY*	WEIGHTED FREQUENCY**
55	DURING THE PAST 30 DAYS, HAVE YOU SEEN OR HEARD COMMERCIALS ON TV, THE INTERNET, OR ON THE RADIO ABOUT THE DANGERS OF CIGARETTE SMOKING?	MISSING NOT IN THE PAST 30 DAYS 1-3 TIMES IN THE PAST 30 DAYS 1-3 TIMES PER WEEK DAILY OR ALMOST DAILY MORE THAN ONCE A DAY	9 302 417 396 411 202	. 16.4% 25.1% 23.1% 24.2% 11.2%
56	WHEN YOU WATCH TV OR GO TO MOVIES, HOW OFTEN DO YOU SEE ACTORS USING TOBACCO?	MISSING I DON'T WATCH TV OR GO TO MOVIES MOST OF THE TIME SOME OF THE TIME HARDLY EVER NEVER	14 48 493 968 189 25	. 2.7% 27.5% 56.6% 11.6% 1.5%
57	WHEN YOU WATCH TV, HOW OFTEN DO YOU SEE ATHLETES USING TOBACCO?	MISSING I DON'T WATCH TV MOST OF THE TIME SOME OF THE TIME HARDLY EVER NEVER	21 62 56 287 762 549	. 3.4% 3.0% 16.0% 45.0% 31.7%

QUESTION NUMBER	QUESTION TEXT	RESPONSE OPTIONS	UNWEIGHTED FREQUENCY*	WEIGHTED FREQUENCY**
58	WHEN YOU ARE USING THE INTERNET, HOW OFTEN DO YOU SEE ADS FOR TOBACCO PRODUCTS?	MISSING I DON'T USE THE INTERNET MOST OF THE TIME SOME OF THE TIME HARDLY EVER NEVER	14 89 145 461 651 377	. 4.9% 7.9% 26.6% 38.9% 21.7%
59	DURING THE PAST 12 MONTHS, DID YOU BUY OR RECEIVE ANYTHING THAT HAS A TOBACCO COMPANY NAME OR PICTURE ON IT?	MISSING YES NO	30 245 1,462	. 15.2% 84.8%
60	WOULD YOU EVER USE OR WEAR SOMETHING THAT HAS A TOBACCO COMPANY NAME OR PICTURE ON IT SUCH AS A LIGHTER, T-SHIRT, HAT OR SUNGLASSES?	MISSING DEFINITELY YES PROBABLY YES PROBABLY NOT DEFINITELY NOT	25 137 369 575 631	. 8.7% 22.2% 33.7% 35.5%
61	DURING THE PAST 7 DAYS, ON HOW MANY DAYS WERE YOU IN THE SAME ROOM WITH SOMEONE WHO WAS SMOKING CIGARETTES?	MISSING 0 DAYS 1-2 DAYS 3-4 DAYS 5-6 DAYS 7 DAYS	10 683 422 100 317	. 39.2% 24.2% 11.9% 6.0% 18.6%
62	DURING THE PAST 7 DAYS, ON HOW MANY DAYS DID YOU RIDE IN A CAR WITH SOMEONE WHO WAS SMOKING CIGARETTES?	MISSING 0 DAYS 1-2 DAYS 3-4 DAYS 5-6 DAYS 7 DAYS	10 949 370 142 95 171	. 54.8% 20.8% 8.4% 5.7% 10.4%
63	DO YOU THINK SMOKE FROM OTHER PEOPLE'S CIGARETTES IS HARMFUL TO YOU?	MISSING DEFINITELY YES PROBABLY YES PROBABLY NOT DEFINITELY NOT	12 1,328 300 33 64	. 77.0% 17.6% 1.7% 3.8%
64	DOES ANYONE WHO LIVES WITH YOU NOW SMOKE CIGARETTES?	MISSING YES NO	30 692 1,015	. 40.0% 60.0%
65	WHO IN YOUR HOME SMOKES? NO ONE SMOKES IN MY HOME	MISSING NO ONE SMOKES IN MY HOME I SMOKE IN MY HOME FATHER (MALE GUARDIAN) MOTHER (FEMALE GUARDIAN) SIBLING(S) OTHER	741 996	100.0

65	WHO IN YOUR HOME SMOKES? I SMOKE IN MY HOME	MISSING NO ONE SMOKES IN MY HOME I SMOKE IN MY HOME FATHER (MALE GUARDIAN) MOTHER (FEMALE GUARDIAN) SIBLING(S) OTHER	1,657 80	100.0
65	WHO IN YOUR HOME SMOKES? FATHER (MALE GUARDIAN)	MISSING NO ONE SMOKES IN MY HOME I SMOKE IN MY HOME FATHER (MALE GUARDIAN) MOTHER (FEMALE GUARDIAN) SIBLING(S) OTHER	1,400 337	100.0
65	WHO IN YOUR HOME SMOKES? MOTHER (FEMALE GUARDIAN)	MISSING NO ONE SMOKES IN MY HOME I SMOKE IN MY HOME FATHER (MALE GUARDIAN) MOTHER (FEMALE GUARDIAN) SIBLING(S) OTHER	1,378 359	100.0
65	WHO IN YOUR HOME SMOKES? SIBLING(S)	MISSING NO ONE SMOKES IN MY HOME I SMOKE IN MY HOME FATHER (MALE GUARDIAN) MOTHER (FEMALE GUARDIAN) SIBLING(S) OTHER	1,542 195	100.0
65	WHO IN YOUR HOME SMOKES? OTHER	MISSING NO ONE SMOKES IN MY HOME I SMOKE IN MY HOME FATHER (MALE GUARDIAN) MOTHER (FEMALE GUARDIAN) SIBLING(S) OTHER	1,623 114	100.0

QUESTION NUMBER	QUESTION TEXT	RESPONSE OPTIONS	UNWEIGHTED FREQUENCY*	WEIGHTED FREQUENCY**
66	WHICH STATEMENT BEST DESCRIBES THE RULES ABOUT SMOKING INSIDE YOUR HOME?	MISSING SMOKING IS NOT ALLOWED ANYWHERE INSIDE MY HOME SMOKING IS ALLOWED IN SOME PLACES OR AT SOME TIMES SMOKING IS ALLOWED ANYWHERE IN MY HOME THERE ARE NO RULES ABOUT SMOKING IN MY HOME	25 1,170 206 85 251	. 68.5% 12.3% 5.2% 14.0%

67	DOES ANYONE WHO LIVES WITH YOU NOW USE CHEWING TOBACCO, SNUFF OR DIP?	MISSING YES NO	17 197 1,523	. 12.1% 87.9%
68	HOW MANY OF YOUR FOUR CLOSEST FRIENDS SMOKE CIGARETTES?	MISSING NONE ONE TWO THREE FOUR NOT SURE	18 898 270 174 109 138 130	. 51.7% 15.4% 10.4% 6.7% 8.4% 7.5%
69	HOW MANY OF YOUR FOUR CLOSEST FRIENDS USE CHEWING TOBACCO, SNUFF, OR DIP?	MISSING NONE ONE TWO THREE FOUR NOT SURE	24 1,255 169 87 39 46 117	. 71.5% 10.6% 5.4% 2.6% 3.0% 6.9%
70	ARE YOU IN FAVOR OF BANNING SMOKING IN PUBLIC PLACES (SUCH AS IN RESTAURANTS, SCHOOLS, PLAYGROUNDS, BOWLING ALLEYS, WHERE YOU WORK, ETC.)?	MISSING YES NO	42 1,184 511	. 69.1% 30.9%
71	DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU HAVE AT LEAST ONE DRINK OF ALCOHOL?	MISSING 0 DAYS 1 OR 2 DAYS 3 TO 5 DAYS 6 TO 9 DAYS 10 TO 19 DAYS 20 TO 29 DAYS ALL 30 DAYS	48 951 356 159 112 67 23 21	. 54.8% 21.2% 9.8% 7.2% 4.2% 1.4% 1.5%
72	DURING THE PAST 30 DAYS, ON HOW MANY DAYS DID YOU HAVE 5 OR MORE DRINKS OF ALCOHOL IN A ROW, THAT IS WITHIN A COUPLE OF HOURS?	MISSING 0 DAYS 1 OR 2 DAYS 3 TO 5 DAYS 6 TO 9 DAYS 10 TO 19 DAYS 20 OR MORE DAYS	54 1,225 229 107 69 36 17	. 71.3% 14.1% 6.7% 4.5% 2.2% 1.2%

QUESTION NUMBER	QUESTION TEXT	RESPONSE OPTIONS	UNWEIGHTED FREQUENCY*	WEIGHTED FREQUENCY**
73	DURING THE PAST 12 MONTHS, DID YOU EVER FEEL SO SAD OR HOPELESS ALMOST EVERY DAY FOR TWO WEEKS OR MORE IN A ROW THAT YOU STOPPED DOING SOME USUAL ACTIVITIES?	MISSING YES NO	57 356 1,324	. 21.0% 79.0%
74	HOW MANY DAYS OF SCHOOL HAVE YOU MISSED	MISSING	49	.

	IN THE PAST 30 DAYS?	I HAVE NOT MISSED ANY DAYS OF SCHOOL IN THE PAST 30 DAYS 1-2 DAYS 3-4 DAYS 5-6 DAYS 7-8 DAYS 9 OR MORE DAYS	658 633 212 85 34 66	38.8% 37.2% 12.9% 5.4% 1.9% 3.6%
75	HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE ASTHMA?	MISSING YES NO NOT SURE	54 316 1,295 72	. 18.4% 77.5% 4.1%
76	DURING THE PAST 12 MONTHS, HAVE YOU HAD AN EPISODE OF ASTHMA OR AN ASTHMA ATTACK?	MISSING I DO NOT HAVE ASTHMA NO, I HAVE ASTHMA, BUT I HAVE NOT HAD AN EPISODE OF ASTHMA OR AN ASTHMA ATTACK YES, I HAVE HAD AN EPISODE OF ASTHMA OR AN ASTHMA ATTACK DURING THE PAST 12 MONTHS NOT SURE	50 1,318 193 106 70	. 78.2% 11.5% 6.1% 4.1%
77	HOW MUCH EDUCATION DID YOUR FATHER (OR MALE GUARDIAN) COMPLETE?	MISSING LESS THAN HIGH SCHOOL FINISHED HIGH SCHOOL FINISHED TECHNICAL SCHOOL OR SOME COLLEGE HAS A COLLEGE DEGREE HAS AN ADVANCED DEGREE DON'T KNOW	50 174 551 295 325 172 170	. 8.6% 32.8% 17.8% 20.6% 11.2% 8.9%
78	HOW MUCH EDUCATION DID YOUR MOTHER (OR FEMALE GUARDIAN) COMPLETE?	MISSING LESS THAN HIGH SCHOOL FINISHED HIGH SCHOOL FINISHED TECHNICAL SCHOOL OR SOME COLLEGE HAS A COLLEGE DEGREE HAS AN ADVANCED DEGREE DON'T KNOW	72 136 544 348 380 154 103	. 6.4% 34.6% 21.6% 24.6% 9.2% 5.6%